Index

IEE Proceedings Part H
Microwaves, Optics and Antennas
Vol. 130, 1983

ABBREVIATIONS

- p paper, address or lecture
- d discussion on a paper
- a abstract of paper or address
- e errata
- s synopsis of a paper published in full in another Part of the *IEE Proceedings*

Author index

A

Ali, I.A., and Auchterlonie, L.J. Temperature distribution in uniform and layered microwave absorbers in waveguide p236
Allen, R., and Arnold, J.M. see Arnold, J.M.
An, T.Y., and Cullen, A.L. Double Schottky-barrier diode power sensor p160
Arnold, J.M., and Allen, R. Microbending loss in optical waveguides p331
Auchterlonie, L.J., and Ali, I.A. see Ali, I.A.

B

Barakat, M., and Shafai, L. Studies on certain modified Luneberg lenses p363
Barton, P. Direction finding using an adaptive null tracker p78
Bennett, M.J. Dispersion characteristics of monomode optical-fibre systems p309
Birch, J.R. Optical constants of some commercial microwave materials between 90 and 1200 GHz p327
Brandwood, D.H. A complex gradient operator and its application in adaptive array theory p11
Brandwood, D.H. Convergence time of sidelobe cancellation systems p46
Bristow, T.A. Experimental open-loop canceller for radar p109

C

Cantoni, A.C., Hudson, J.E., and Ratner, A.S. see Hudson, J.E.
Carroll, J.E., and Herscher, B.A. see Herscher, B.A.
Chakrabarty, A., Das, B.N., and Joshi, K.K. see Das, B.N.
Chatterjee, J.S., and Das, N. see Das, N.
Clarke, J., and Cracknell, D.J. Experimental study of orthomode couplers for use in power combining and distribution p305
Cracknell, D.J., and Clarke, J. see Clarke, J.
Cullen, A.L., and An, T.Y. see An, T.Y.

D

Das, B.N., Chakrabarty, A., and Joshi, K.K. Characteristic impedance of elliptic cylindrical strip and microstriplines filled with layered substrate p245
Das, N., and Chatterjee, J.S. Conically depressed microstrip patch antenna p193
Davies, D.E.N., and Guy, J.R.F. see Guy, J.R.F.
de Pourcq, M. Field and power-density calculations by three-dimensional finite elements p377
De Smedt, R., and Denturck, B. Scattering matrix of junctions between rectangular waveguides p183
Denturck, B., and De Smedt, R. see De Smedt, R.
Durrani, T.S., and Sharman, K.C. Eigenfilter approaches to adaptive array processing p22

E

Evans, S., and Kong, F.N. TEM horn antenna: input reflection characteristics in transmission p403

F

Farrier, D.R. Gain of an array of sensors subjected to processor perturbations p251
Farrier, D.R., and Hicks, T.J. Detection of narrowband sources by an array p133
Ferrari, R.L., Webb, J.P., and Maile, G.L. see Webb, J.P.
Forrest, J.R., and Ward, C.J. see Ward, C.J.
Frenkel, A. External modes of two-dimensional thin scatterers p209

G

Gardiol, F.E., and Mosig, J.R. see Mosig, J.R.
Goto, N., and Ito, K. see Ito, K.
Griffiths, J.W.R. Adaptive array processing: a tutorial p3
Gunes, M., and Howson, D.P. Error analysis of the measurement of microstrip effective dielectric constant for the characterisation of passive two-ports p369
Guo, Y.C., and Smith, M.S. Sidelobe reduction for phased array antennas using digital phase shifters. Part 1: One bit phase weighting p343
Guo, Y.C., and Smith, M.S. Sidelobe reduction for phased array antennas using digital phase shifters. Part 2: Two bit phase weighting p352
Guy, J.R.F., and Davies, D.E.N. Novel method of multiplexing radiocommunication antennas using circular-array configuration p410
Guy, J.R.F., and Davies, D.E.N. UHF circular arrays incorporating open-loop null steering for communications p67

H

Hall, P.S. Microstrip linear array with polarisation control p215
Hamdy, S.M.A., Parker, E.A., and Langley, R.J. see Parker, E.A.
Hargrave, P.J., and Ward, C.R. see Ward, C.R.
Hashimoto, M. Asymptotic theory of vector modes in inhomogeneous optical fibres: uncladded fibres p261
Helszajn, J. Eiganvalue analysis of 4-port crosswire YIG coupling circuit p191
Helszajn, J., and Levy, R. see Levy, R.
Helszajn, J., and Sharp, J. 2000 W mean-power X-band waveguide junction circulator using composite turnstile resonator p375
Herscher, B.A., and Carroll, J.E. Integrated two-pass reflectometer: low cost seven-port circuit p420
Hicks, T.J., and Farrier, D.R. see Farrier, D.R.
Hoffmann, R. General properties of tensor Green's function for planar ferrite structures p373
Howson, D.P., and Gunes, M. see Gunes, M.
Hudson, J.E., Ratner, A.S., and Cantoni, A.C. Coefficient perturbation adaptive HF array p91
Hussey, C.D. Radiation from graded-index single-mode fibres p225

I

Ito, K. Circularly polarised printed antenna with wide axial-ratio bandwidth using strip dipoles and slots p397
Ito, K., and Goto, N. Dual-frequency circularly polarised printed antenna composed of strips and slots p170

J

Jakobsen, K., and Lier, E. Correction to improved formulas for input impedance of wax-fed microstrip patch antennas p190
Jones, P.G.A., and Kimber, I.D. Measurement of switching characteristics of agile frequency sources p495
Joshi, K.K., Das, B.N., and Chakrabarty, A. see Das, B.N.

K

Keen, K.M. New technique for the evaluation of the scattering cross-sections of radar corner reflectors p322
Kilvington, J. Perturbation adaptive array processor for airborne application p84
Kimber, I.D., and Jones, P.G.A. see Jones, P.G.A.
Klemm, R. Adaptive clutter supression for airborne phased array radars p125
Knöchel, R., and Schünemann, K. Noise performance of cavity stabilised oscillators p281
Kong, F.N., and Evans, S. see Evans, S.
Koshiji, K., Shu, E., and Miki, S. Simplified computation of coplanar waveguide with finite conductor thickness p315
Kroupa, V.F. Low-noise microwave-frequency synthesisers: design principles p483
Krücker, K. Rapid interference suppression using a Kalman filter technique p36

L

Langley, R.J., Parker, E.A., and Hamdy, S.M.A. see Parker, E.A.
Laybourn, P.J.R., and Wang, D.K. see Wang, D.K.
Lazarus, M.J., and Pantoja, F.R. Ultra-wideband millimetre-wave self-oscillating mixer p340
Leminger, O.G. Scalar mode analysis of parabolic index fibres using continued fractions p290
Levy, R., and Helszajn, J. Short-line matching networks for circulators and resonant loads p385
Lewis, M. Phase-locked upconvertors in synthesisers for agile pulse-compression radars p456
Lier, E., and Jakobsen, K. see Jakobsen, K.

M

Mahmoud, S.F. Mode conversion on profiled corrugated conical horns p415
Maile, G.L., Webb, J.P., and Ferrari, R.L. see Webb, J.P.
Mayhan, J.T. Adaptive antenna design considerations for satellite communication antennas p98
McAllister, P. Synthesised signal generator: a design example p451
McIntosh, D.J., and Sangster, A.J. see Sangster, A.J.
McWhirter, J.G., and Shepherd, T.J. Adaptive algorithms in the space and time domains p17
Meiling, G., Noordanus, J., and van Heijningen, P. see Noordanus, J.
Miki, S., Koshiji, K., and Shu, E. see Koshiji, K.
Moore, P.A., and Salmon, S.K. Surface acoustic wave reference oscillators for UHF and microwave generators p477
Mosig, J.R., and Gardiol, F.E. Analytical and numerical techniques in the Green's function treatment of microstrip antennas and scatterers p175

N

Nakano, H., Yamane, T., and Yamauchi, J. Directive properties of parasitic helix and its application to circularly polarised antenna p391
Narasimhan, M.S., and Prasad, K.H. Coupling between two conical horns placed side by side p358
Neylon, S., and Wilkinson, V. Sources based on switched hybrid SAW oscillators p473
Noordanus, J., Meiling, G., and van Heijningen, P. Direct-division phase-lock loop at 12 GHz p463
Nunn, D. Performance assessments of a time-domain adaptive processor in a broadband environment p139

O

Olver, A.D., and Saleeb, A.A. Improved radiation characteristics of conical horns with plastics-foam lenses p197

P

Pantoja, F.R., and Lazarus, M.J. see Lazarus, M.J.
Parker, E.A., Hamdy, S.M.A., and Langley, R.J. Modes of resonance of the Jerusalem cross in frequency-selective surfaces p203
Prasad, K.H., and Narasimhan, M.S. see Narasimhan, M.S.

R

Ratner, A.S., Hudson, J.E., and Cantoni, A.C. see Hudson, J.E.
Robins, W.P. Low-phase-noise synthesisers for SHF satcom p445

S

Saad, A.M.K. Analysis of fin-line tapers and transitions p230
Sahalos, J.N., Zimourtopoulos, P.E., and Thiele, G.A. see Zimourtopoulos, P.E.
Saleeb, A.A., and Olver, A.D. see Olver, A.D.
Salmon, S.K., and Moore, P.A. see Moore, P.A.
Sangster, A.J., and McIntosh, D.J. Analysis of an end junction between a coaxial waveguide with a hollow inner and a circular cylindrical waveguide p297
Scherer, E., Slinn, K.R., and Volckman, P.A. see Slinn, K.R.
Schünemann, K., and Knöchel, R. see Knöchel, R.
Scott, K.K. Transversal filter techniques for adaptive array applications p29
Searle, J.G., and Ward, C.R. Multifunction adaptive processor for small antenna arrays p57
Shafai, L., and Barakat, M. see Barakat, M.
Sharman, K.C., and Durrani, T.S. see Durrani, T.S.
Sharp, J., and Helszajn, J. see Helszajn, J.
Shepherd, P.R., and Vilar, E. Optimisation and synthesis of low phase-noise microwave-feedback oscillators p437
Shepherd, T.J., and McWhirter, J.G. see McWhirter, J.G.
Shu, E., Koshiji, K., and Miki, S. see Koshiji, K.
Simons, R.N. Analysis of millimetre-wave integrated fin line p166
Slinn, K.R. Microwave sources and synthesisers p429
Slinn, K.R., Volckman, P.A., and Scherer, E. Low-noise synthesiser for radar and communications p430
Smith, M.S., and Guo, Y.C. see Guo, Y.C.
Steele, A.K. Comparison of directional and derivative constraints for beamformers subject to multiple linear constraints p41
Stone, D. Open-loop adaptivity for rotating antennas p114
Sweet, D.R. Performance of stochastic gradient descent adaptive beamforming using sonar data p147

T

Taylor, G.N. Adaptive arrays. (Editorial) p1
Thiele, G.A., Zimourtopoulos, P.E., and Sahalos, J.N. see Zimourtopoulos, P.E.

V

van Heijningen, P., Noordanus, J., and Meiling, G. see Noordanus, J.
Vilar, E., and Shepherd, P.R. see Shepherd, P.R.
Volckman, P.A., Slinn, K.R., and Scherer, E. see Slinn, K.R.

W

Wang, D.K., and Laybourn, P.J.R. Coupling between prism and rectangular optical waveguide p255
Ward, C.J., and Forrest, J.R. Fast acquisition phase-locked loops for frequency agile pulsed radar systems p489
Ward, C.R., and Hargrave, P.J. Problems associated with correlation-loop adaptive antennas employing hard limiting p63
Ward, C.R., and Searle, J.G. see Searle, J.G.
Wardrop, B. Experimental linear phased array with partial adaptivity p118
Webb, J.P., Maile, G.L., and Ferrari, R.L. Finite-element solution of three-dimensional electromagnetic problems p153
Wilkinson, V., and Neylon, S. see Neylon, S.

Y

Yamane, T., Nakano, H., and Yamauchi, J. see Nakano, H.
Yamauchi, J., Nakano, H., and Yamane, T. see Nakano, H.

Z

Zimourtopoulos, P.E., Sahalos, J.N., and Thiele, G.A. Input impedance of a monopole antenna on a finite polygonal ground plane p276

Subject index

ACOUSTICS

Detection of narrowband sources by an array. D.R. Farrier and T.J. Hicks p133
Performance assessments of a time-domain adaptive processor in a broadband environment. D. Nunn p139
Performance of stochastic gradient descent adaptive beamforming using sonar data. D.R. Sweet p147

ALGORITHMS

Integrated two-pass reflectometer: low cost seven-port circuit. B.A. Herscher and J.E. Carroll p420

ANTENNAS

A complex gradient operator and its application in adaptive array theory. D.H. Brandwood p11
Adaptive algorithms in the space and time domains. J.G. McWhirter and T.J. Shepherd p17
Adaptive array processing: a tutorial. J.W.R. Griffiths p3
Adaptive arrays. (Editorial). G.N. Taylor p1
Adaptive antenna design considerations for satellite communication antennas. J.T. Mayhan p98
Adaptive clutter supression for airborne phased array radars. R. Klemm p125
Analytical and numerical techniques in the Green's function treatment of microstrip antennas and scatterers. J.R. Mosig and F.E. Gardiol p175
Circularly polarised printed antenna with wide axial-ratio bandwidth using strip dipoles and slots. K. Ito p397
Coefficient perturbation adaptive HF array. J.E. Hudson, A.S. Ratner and A.C. Cantoni p91
Comparison of directional and derivative constraints for beamformers subject to multiple linear constraints. A.K. Steele p41
Conically depressed microstrip patch antenna. N. Das and J.S. Chatterjee p193
Convergence time of sidelobe cancellation systems. D.H. Brandwood p46
Detection of narrowband sources by an array. D.R. Farrier and T.J. Hicks p133
Direction finding using an adaptive null tracker. P. Barton p78
Directive properties of parasitic helix and its application to circularly polarised antenna. H. Nakano, T. Yamane and J. Yamauchi p391
Dual-frequency circularly polarised printed antenna composed of strips and slots. K. Ito and N. Goto p170
Eigenfilter approaches to adaptive array processing. T.S. Durrani and K.C. Sharman p22
Experimental linear phased array with partial adaptivity. B. Wardrop p118
Experimental open-loop canceller for radar. T.A. Bristow p109
External modes of two-dimensional thin scatterers. A. Frenkel p209
Gain of an array of sensors subjected to processor perturbations. D.R. Farrier p251
Improved radiation characteristics of conical horns with plastics-foam lenses. A.D. Olver and A.A. Saleeb p197
Input impedance of a monopole antenna on a finite polygonal ground plane. P.E. Zimourtopoulos, J.N. Sahalos and G.A. Thiele p276
Mode conversion on profiled corrugated conical horns. S.F. Mahmoud p415
Modes of resonance of the Jerusalem cross in frequency-selective surfaces. E.A. Parker, S.M.A. Hamdy and R.J. Langley p203
Multifunction adaptive processor for small antenna arrays. J.G. Searle and C.R. Ward p57
Novel method of multiplexing radiocommunication antennas using circular-array configuration. J.R.F. Guy and D.E.N. Davies p410
Open-loop adaptivity for rotating antennas. D. Stone p114
Performance assessments of a time-domain adaptive processor in a broadband environment. D. Nunn p139
Performance of stochastic gradient descent adaptive beamforming using sonar data. D.R. Sweet p147
Perturbation adaptive array processor for airborne application. J. Kilvington p84
Problems associated with correlation-loop adaptive antennas employing hard limiting. C.R. Ward and P.J. Hargrave p63
Rapid interference suppression using a Kalman filter technique. K. Krücker p36
Sidelobe reduction for phased array antennas using digital phase shifters. Part 1: One bit phase weighting. Y.C. Guo and M.S. Smith p343
Sidelobe reduction for phased array antennas using digital phase shifters. Part 2: Two bit phase weighting. Y.C. Guo and M.S. Smith p352
TEM horn antenna: input reflection characteristics in transmission. S. Evans and F.N. Kong p403
Transversal filter techniques for adaptive array applications. K.K. Scott p29
UHF circular arrays incorporating open-loop null steering for communications. J.R.F. Guy and D.E.N. Davies p67

COMPUTER APPLICATIONS

Simplified computation of coplanar waveguide with finite conductor thickness. K. Koshiji, E. Shu and S. Miki p315

DIELECTRICS

Analytical and numerical techniques in the Green's function treatment of microstrip antennas and scatterers. J.R. Mosig and F.E. Gardiol p175
Double Schottky-barrier diode power sensor. T.Y. An and A.L. Cullen p160
Error analysis of the measurement of microstrip effective dielectric constant for the characterisation of passive two-ports. M. Gunes and D.P. Howson p369
Temperature distribution in uniform and layered microwave absorbers in waveguide. I.A. Ali and L.J. Auchterlonie p236

ELECTROMAGNETICS

Coupling between two conical horns placed side by side. M.S. Narasimhan and K.H. Prasad p358
Finite-element solution of three-dimensional electromagnetic problems. J.P. Webb, G.L. Maile and R.L. Ferrari p153
Modes of resonance of the Jerusalem cross in frequency-selective surfaces. E.A. Parker, S.M.A. Hamdy and R.J. Langley p203

ERRORS AND ERROR ANALYSIS

Error analysis of the measurement of microstrip effective dielectric constant for the characterisation of passive two-ports. M. Gunes and D.P. Howson p369

FERRITES AND FERROMAGNETICS

General properties of tensor Green's function for planar ferrite structures. R. Hoffmann p373

FILTERS AND FILTERING

Low-noise microwave-frequency synthesisers: design principles. V.F. Kroupa p483
Rapid interference suppression using a Kalman filter technique. K. Krücker p36

GUNN DEVICES

Noise performance of cavity stabilised oscillators. R. Knöchel and K. Schünemann p281
Ultra-wideband millimetre-wave self-oscillating mixer. M.J. Lazarus and F.R. Pantoja p340

MAGNETIC FIELDS

Finite-element solution of three-dimensional electromagnetic problems. J.P. Webb, G.L. Maile and R.L. Ferrari p153

MATHEMATICAL TECHNIQUES

A complex gradient operator and its application in adaptive array theory. D.H. Brandwood p11
Analysis of an end junction between a coaxial waveguide with a hollow inner and a circular cylindrical waveguide. A.J. Sangster and D.J. McIntosh p297
Coupling between two conical horns placed side by side. M.S. Narasimhan and K.H. Prasad p358
Dispersion characteristics of monomode optical-fibre systems. M.J. Bennett p309
Eiganvalue analysis of 4-port crosswire YIG coupling circuit. J. Helszajn p191
Field and power-density calculations by three-dimensional finite elements. M. de Pourcq p377
Gain of an array of sensors subjected to processor perturbations. D.R. Farrier p251
Input impedance of a monopole antenna on a finite polygonal ground plane. P.E. Zimourtopoulos, J.N. Sahalos and G.A. Thiele p276
Scalar mode analysis of parabolic index fibres using continued fractions. O.G. Leminger p290
Simplified computation of coplanar waveguide with finite conductor thickness. K. Koshiji, E. Shu and S. Miki p315

MEASUREMENT AND MEASURING

Gain of an array of sensors subjected to processor perturbations. D.R. Farrier p251
Simplified computation of coplanar waveguide with finite conductor thickness. K. Koshiji, E. Shu and S. Miki p315

MICROWAVE CIRCUITS AND NETWORKS

Analysis of millimetre-wave integrated fin line. R.N. Simons p166
Eiganvalue analysis of 4-port crosswire YIG coupling circuit. J. Helszajn p191
Noise performance of cavity stabilised oscillators. R. Knöchel and K. Schünemann p281

MICROWAVE COMPONENTS

Analysis of millimetre-wave integrated fin line. R.N. Simons p166
Analytical and numerical techniques in the Green's function treatment of microstrip antennas and scatterers. J.R. Mosig and F.E. Gardiol p175
Characteristic impedance of elliptic cylindrical strip and microstriplines filled with layered substrate. B.N. Das, A. Chakrabarty and K.K. Joshi p245
Direct-division phase-lock loop at 12 GHz. J. Noordanus, G. Meiling and P. van Heijningen p463
Double Schottky-barrier diode power sensor. T.Y. An and A.L. Cullen p160
Eiganvalue analysis of 4-port crosswire YIG coupling circuit. J. Helszajn p191
Fast acquisition phase-locked loops for frequency agile pulsed radar systems. C.J. Ward and J.R. Forrest p489
General properties of tensor Green's function for planar ferrite structures. R. Hoffmann p373
Microstrip linear array with polarisation control. P.S. Hall p215
Microwave sources and synthesisers. K.R. Slinn p429
Mode conversion on profiled corrugated conical horns. S.F. Mahmoud p415
Optical constants of some commercial microwave materials between 90 and 1200 GHz. J.R. Birch p327
Scattering matrix of junctions between rectangular waveguides. R. De Smedt and B. Denturck p183
Sources based on switched hybrid SAW oscillators. S. Neylon and V. Wilkinson p473
Surface acoustic wave reference oscillators for UHF and microwave generators. P.A. Moore and S.K. Salmon p477
Temperature distribution in uniform and layered microwave absorbers in waveguide. I.A. Ali and L.J. Auchterlonie p236

MICROWAVE SYSTEMS

Field and power-density calculations by three-dimensional finite elements. M. de Pourcq p377
Low-noise microwave-frequency synthesisers: design principles. V.F. Kroupa p483
Measurement of switching characteristics of agile frequency sources. P.G.A. Jones and I.D. Kimber p495
Optimisation and synthesis of low phase-noise microwave-feedback oscillators. P.R. Shepherd and E. Vilar p437
Phase-locked upconvertors in synthesisers for agile pulse-compression radars. M. Lewis p456
Synthesised signal generator: a design example. P. McAllister p451

NUMERICAL ANALYSIS

Analytical and numerical techniques in the Green's function treatment of microstrip antennas and scatterers. J.R. Mosig and F.E. Gardiol p175
General properties of tensor Green's function for planar ferrite structures. R. Hoffmann p373
Mode conversion on profiled corrugated conical horns. S.F. Mahmoud p415
Scattering matrix of junctions between rectangular waveguides. R. De Smedt and B. Denturck p183

OPTICAL FIBRES

Asymptotic theory of vector modes in inhomogeneous optical fibres: uncladded fibres. M. Hashimoto p261
Dispersion characteristics of monomode optical-fibre systems. M.J. Bennett p309
Microbending loss in optical waveguides. J.M. Arnold and R. Allen p331
Radiation from graded-index single-mode fibres. C.D. Hussey p225

OPTICAL SYSTEMS

Scalar mode analysis of parabolic index fibres using continued fractions. O.G. Leminger p290

OPTICS

Asymptotic theory of vector modes in inhomogeneous optical fibres: uncladded fibres. M. Hashimoto p261
Optical constants of some commercial microwave materials between 90 and 1200 GHz. J.R. Birch p327
Radiation from graded-index single-mode fibres. C.D. Hussey p225
Studies on certain modified Luneberg lenses. M. Barakat and L. Shafai p363

OSCILLATORS

Low-noise synthesiser for radar and communications. K.R. Slinn, P.A. Volckman and E. Scherer p430
Noise performance of cavity stabilised oscillators. R. Knöchel and K. Schünemann p281
Optimisation and synthesis of low phase-noise microwave-feedback oscillators. P.R. Shepherd and E. Vilar p437
Surface acoustic wave reference oscillators for UHF and microwave generators. P.A. Moore and S.K. Salmon p477
Synthesised signal generator: a design example. P. McAllister p451
Ultra-wideband millimetre-wave self-oscillating mixer. M.J. Lazarus and F.R. Pantoja p340

RADAR AND RADIONAVIGATION

Adaptive clutter supression for airborne phased array radars. R. Klemm p125
Experimental linear phased array with partial adaptivity. B. Wardrop p118
Experimental open-loop canceller for radar. T.A. Bristow p109
Fast acquisition phase-locked loops for frequency agile pulsed radar systems. C.J. Ward and J.R. Forrest p489
Low-noise synthesiser for radar and communications. K.R. Slinn, P.A. Volckman and E. Scherer p430
New technique for the evaluation of the scattering cross-sections of radar corner reflectors. K.M. Keen p322
Open-loop adaptivity for rotating antennas. D. Stone p114
Phase-locked upconvertors in synthesisers for agile pulse-compression radars. M. Lewis p456

RADIO-WAVE PROPAGATION
(incl. ionospheric and tropospheric)

External modes of two-dimensional thin scatterers. A. Frenkel p209

RADIOCOMMUNICATION

Coefficient perturbation adaptive HF array. J.E. Hudson, A.S. Ratner and A.C. Cantoni p91
UHF circular arrays incorporating open-loop null steering for communications. J.R.F. Guy and D.E.N. Davies p67

RADIONAVIGATION

Direction finding using an adaptive null tracker. P. Barton p78
Perturbation adaptive array processor for airborne application. J. Kilvington p84

SATELLITE LINKS AND SPACE COMMUNICATION

Adaptive antenna design considerations for satellite communication antennas. J.T. Mayhan p98
Low-phase-noise synthesisers for SHF satcom. W.P. Robins p445

SEMICONDUCTOR DEVICES AND MATERIALS

Double Schottky-barrier diode power sensor. T.Y. An and A.L. Cullen p160
Ultra-wideband millimetre-wave self-oscillating mixer. M.J. Lazarus and F.R. Pantoja p340

SIGNAL PROCESSING

UHF circular arrays incorporating open-loop null steering for communications. J.R.F. Guy and D.E.N. Davies p67

SURFACE-ACOUSTIC-WAVE DEVICES (SAW)

Sources based on switched hybrid SAW oscillators. S. Neylon and V. Wilkinson p473

WAVEGUIDES

2000 W mean-power X-band waveguide junction circulator using composite turnstile resonator. J. Helszajn and J. Sharp p375
Analysis of an end junction between a coaxial waveguide with a hollow inner and a circular cylindrical waveguide. A.J. Sangster and D.J. McIntosh p297
Analysis of fin-line tapers and transitions. A.M.K. Saad p230
Asymptotic theory of vector modes in inhomogeneous optical fibres: uncladded fibres. M. Hashimoto p261
Coupling between prism and rectangular optical waveguide. D.K. Wang and P.J.R. Laybourn p255
Coupling between two conical horns placed side by side. M.S. Narasimhan and K.H. Prasad p358
Dispersion characteristics of monomode optical-fibre systems. M.J. Bennett p309
Experimental study of orthomode couplers for use in power combining and distribution. J. Clarke and D.J. Cracknell p305
Finite-element solution of three-dimensional electromagnetic problems. J.P. Webb, G.L. Maile and R.L. Ferrari p153
Microbending loss in optical waveguides. J.M. Arnold and R. Allen p331
Radiation from graded-index single-mode fibres. C.D. Hussey p225
Scalar mode analysis of parabolic index fibres using continued fractions. O.G. Leminger p290
Scattering matrix of junctions between rectangular waveguides. R. De Smedt and B. Denturck p183
Simplified computation of coplanar waveguide with finite conductor thickness. K. Koshiji, E. Shu and S. Miki p315
Studies on certain modified Luneberg lenses. M. Barakat and L. Shafai p363
TEM horn antenna: input reflection characteristics in transmission. S. Evans and F.N. Kong p403
Temperature distribution in uniform and layered microwave absorbers in waveguide. I.A. Ali and L.J. Auchterlonie p236

Book reviews

Advanced millimetre wave technology. D.J. Colliver (Ed.) p275
Flat radiating dipoles and applications to arrays. G. Dubost p428
Gyrotropic waveguides. R.A. Waldron p500
Microwave devices. J.T. Coleman p427
Microwave engineering and applications. Om. P. Gandhi p275
Optical fiber transmission systems. S.D. Personick p427